

Bibliografia

Almetwally, A. A., Salem, M. M., (2010), "Comparison Between Mechanical Properties of Fabrics Woven from Compact and Ring Spun Yarns", *Autex Research Journal*, Vol. 10, nº1, pp. 35-40.

Annis, P. A., Bresee, R. R., Cooper, T. R., (1992), "Influence of Textile Structure on Single Fiber Transfer from Woven Fabrics", *Textile Research Journal*, Vol. 62, nº5, pp. 293-301.

Barella, A., Manich, A. M., Castellar, M. D., Sauri, R. M., Miguel, R. A. L., Domingues, P., (1998), "La Resistência a la Abrasion y la Pérdida de Massa de Tejidos da Lana y Mesclas, Quando se Utiliza el Abrasímetro Martindale", *Revista de la Industria Textil*, nº360, pp. 50-58.

Barella, A., Manich, M., (1997), "Yarn Hairness Update", *Textile Progress*, Vol. 26, nº4, pp. 1-31.

Barella, A., Manich, M., (2002), "Yarn Hairness: A Further Update", *Textile Progress*, Vol. 31, nº4, pp. 1-44.

Barella, A., Miguel, R., Manich, A., Castellar, M., (1996), "Influencia de las Características Estructurales sobre las Propiedades de Uso y Conforto de los Tejidos de Lana y sus Mesclas", *Revista de la Industria Textil* nº 340, pp.55-70.

Cooke, W. D., (1985), "Pilling Attrition and Fadigue", *Textile Research Journal*, Vol. 55, nº 7, pp. 409-414.

Cuñat, A. P., (1965), *Escuela Tecnica Superior de Ingenieros Industriales - Tarrassa, Hilatura I - Tecnologia General*, pp. 41-54.

Cybulska, M., Goswami, B. C., (2001), "Failure Mechanism in Staple Yarns", *Textile Research Journal*, Vol. 71, nº12, pp. 1087-1094.

Galbraith, R. L., (1975), "Abrasion of Textile Surface". Schick, M., Surface Characteristics of Fibers and Textiles - Parte I, pp. 193-221. Nova York: Marcel Dekker.

Gentis, D., Mead, E. J., (1959), "The Mechanism of Pilling", Textile Research Journal, Vol. 29, nº 7, pp. 578-585.

Ghosh, A., Ishtiaque, S. M., Rengasamy, R. S., (2005), "Analysis of Spun Yarn Failure. Part I: Tensile Failure of Yarns as a Function of Structure and Testing Parameters", Textile Research Journal, Vol. 75, nº10, pp. 731-740.

Greaves, R. L., Roche, P. H., White, M. A., (1981), "The Pilling Behavior of Wool-Blend Fabrics Processed on the Short-Staple System", Textile Research Journal, Vol. 51, nº 10, pp. 681-682.

Groot, G. J. J. B., (1995), "The Use of Effective Fineness to determine the effect of Wool-Fiber-Diameter Distribution on Yarn Properties", The Journal of the Textile Institute , Vol. 86, nº1, pp. 33-43.

Halleb, N., Amar, S. B., (2010), "Model Modification and Prediction of Mechanical Behavior of Fabrics in Uniaxial Tension", The Journal of the Textile Institute, Vol. 101, nº8, pp. 707-715.

Hamkins, C. P., Backer, S., (1980), "On the Mechanisms of Tearing in Woven Fabrics", Textile Research Journal, Vol. 50, nº5, pp. 323-327.

Harrison, P. W., (1960), "The Tearing Strength of the Fabrics", A Review of literature; The Journal of the Textile Institute, Vol.51, pp. 91-129.

Klein, W., (1965), The Techonology of Short-Staple Spinning: The Textile Institute - Manual of the Textile Techonology, pp. 34-42.

Manich, A. M., Castellar, M. D., Sauri, R. M., Miguel, R. A. L., Barella, A., (2001), "Abrasion Kinetics of wool and Blend fabrics", Textile Research Journal, Vol. 71, nº6, pp. 469-474.

Miguel, R. A. L., (2000), "Modelling the Influence of structural Characteristics on Wear Properties of Wool and blended Fabrics", Ph. D. Thesis, Universidade da Beira Interior, Covilhã, Portugal, pp. 267-268.

Morton, W. E., (1975), "Physical Properties of Textile Fibers". London: Heinemann.

NaiK, A., López-Amo, F., (1982), "Pilling Propensity of Blended Textiles", Melliand Textilberichte, Vol.11, nº6, pp. 416-423.

Nawaz, S. M., Ahmad, I., Farooq, A., (2002), " Effect of Single End Strength of Various doubled Yarns on Tearing Strength of Double weft Fabric", Pakistan Journal of Applied Sciences, Vol. 2, nº8, pp. 800-803.

Omeroglu, S., Ulku, S., (2007), "An Investigation about Tensile Strength, Pilling and Abrasion Properties of Woven Fabrics Made from Conventional and Compact Ring-Spun Yarns", Fibres & Textiles in Eastern Europe, Vol. 15, nº1, pp.39-42.

Onikov, E. A., (1992), "Cotton Fabrics with Higher Resistance to Abrasion", Melliand Textilberichte, Vol. 73, nº1, pp. 37-38.

Pan, N., Hua, T., (2001), "Relationship Between Fiber and Yarn Strength", Textile Research Journal, Vol. 71, nº11, pp. 960-964.

Realff, M. L., Seo, M., Boyce, M. C., Schawrtz, P., Backer, S., (1991), "Mechanical Properties of Fabrics Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure as a Function of Gauge Length", Textile Research Journal, Vol. 61, nº9, pp. 517-530.

Richards, A., Cropper, A., Miraftab, M., Holmes, D., (1993), "An Introduction to Textiles; Vol. I - Fibers", School of Textiles Studies: Bolton Institute of Higher Education, pp.1-33.

Scelzo, W. A., Backer, S., Boyce, M. C., (1994), "Mechanistic Role of Yarn and Fabric Structure in Determining Tear Resistance of Woven Cloth" - Part II: Modeling Tongue Tear, Textile Research Journal, Vol. 64, nº6, pp. 321-329.

Scelzo, W. A., Backer, S., Boyce, M. C., (1994), “Mechanistic Role of Yarn and Fabric Structure In Determining Tear Resistance of Woven Cloth” - Part I: Understanding Tongue Tear, Textile Research Journal, Vol. 64, nº5, pp. 291-302.

Simpson, W. S., Crawshaw, G.H., (2002), “Wool: Science and Technology”, Cambridge: Woodhead, pp. 192-197.

Sulzer Textil Limited Swizerland, (2001), “Fabric Structure, Properties and Testing”, pp. 361-373.

Wang, X., (2000), “Predicting the Strength Variation of Wool from its Diameter Variation”, Textile Research Journal, Vol. 70, nº3, pp. 191-194.

Xie, Y., Oxenham, W., Grosberg, P., (1968), “A Study of the Strength of Wrapped Yarns” - Part III: The Relationship between Structural Parameters and Strength, The Journal of the Textile Institute , Vol. 77, nº5, pp. 314-326.

Normas de Ensaio:

NP EN ISO 13934-1:2001 - Têxteis: Propriedades de tracção dos tecidos. Parte 1: Determinação da força máxima e do alongamento à força máxima pelo método da tira (ISO 13934-1:1999).

NP EN ISO 13937-1:2001 - Têxteis: Propriedades de rasgo de tecidos. Parte 1: Determinação da força de rasgo pelo método do pêndulo balístico (Elmendorf) (ISO 13937-1:2000, incluindo Errata 1:2000).

NP EN ISO 12945-1:2004 - Têxteis: Determinação da propensão dos tecidos ao aparecimento de pêlo superficial e borboto. Parte 1: Método do “pilling box” (ISO 12945-1:2000).

ISO 12947-2:1998 - Textiles: Determination of the abrasion resistance of fabrics by the Martindale method. Part 2: Determination of specimen breakdown.

NP EN 12127:1999 - Determinação da massa por unidade de superfície em amostras de pequenas dimensões.

NP EN 1049-2:1995 - Têxteis - Métodos de análise - Parte 2: Determinação do número de fios por unidade de comprimento (ISO 7211-2: 1984 modificada).

EN ISO 2062:2009 - Textiles - Yarns from packages - Determination of single-end breaking force and elongation at break using constant rate of extension (CRE) tester.