

NSCA COACH

VOLUME 4
ISSUE 2

MAY | 2017



ABOUT THIS PUBLICATION

The *NSCA Coach* publishes basic educational information for Associate and Professional Members of the NSCA specifically focusing on novice strength and conditioning coaches. As a quarterly publication, this journal's mission is to publish peer-reviewed articles that provide basic, practical information that is evidence-based and applicable to a wide variety of athlete and training needs. Copyright 2017 by the National Strength and Conditioning Association. All Rights Reserved.

Disclaimer: The statements and comments in *NSCA Coach* are those of the individual authors and contributors and not of the National Strength and Conditioning Association. The appearance of advertising in this journal does not constitute an endorsement for the quality or value of the product or service advertised, or of the claims made for it by its manufacturer or provider. Neither the Editors of the *NSCA Coach*, nor the NSCA, or any other party directly involved in the preparation of the material contained assume any liability or responsibility for the accuracy, completeness, or usefulness, nor shall they be liable for any direct, indirect, incidental, special, consequential, or punitive damages arising out of the use of *NSCA Coach*.

NSCA MISSION

As the worldwide authority on strength and conditioning, we support and disseminate research-based knowledge and its practical application, to improve athletic performance and fitness.

TALK TO US...

Share your questions and comments. We want to hear from you. Write to NSCA Coach at NSCA Publications, 1885 Bob Johnson Drive, Colorado Springs, CO 80906, or send an email to matthew.sandstead@nsca.com.

ISSN 2376-0982

NSCA COACH

VOLUME 4
ISSUE 2
MAY | 2017



EDITORIAL OFFICE

1885 Bob Johnson Drive
Colorado Springs, Colorado 80906
Phone: 719.632.6722

EDITOR

Brian Gearity, PHD, CSCS

ASSISTANT EDITOR

Britt Chandler, MS, CSCS,*D, NSCA-CPT,*D

PUBLICATIONS DIRECTOR

Keith Cinea, MA, CSCS,*D, NSCA-CPT,*D

MANAGING EDITOR

Matthew Sandstead, NSCA-CPT,*D

PUBLICATIONS COORDINATOR

Cody Urban

EDITORIAL REVIEW PANEL

Charles Allen, PHD, CSCS, USAW

Jonathan Anning, PHD, CSCS,*D

Joel Bergeron, MS, CPS, CSCS,*D

Nicole Dabbs, PHD

Adam Feit, MS, CSCS

Yvette Figueroa, MS, CSCS

Juan Gonzalez, PHD, CSCS, USATF

Meredith Hale-Griffin, MS, CSCS

Pat Mahady, MS, CSCS

Bryan Mann, PHD, CSCS,*D, RSCC*D

Ed McNeely, MS

Jonathan Mike, PHD, CSCS,*D,
NSCA-CPT,*D, USAW

Ryan Puck, MS, CSCS, USAW

Evan Schick, PHD, CSCS

Collis Spann, MS, IKFF CKT L2, USAW-2

Aaron Suma, MA, CSCS,*D, USAW-2

Tai Tran, PHD, CSCS,*D



DRY-LAND STRENGTH AND CONDITIONING FOR PREPUBERTAL AND PERIPUBERTAL SWIMMERS

NUNO AMARO, MSC, DANIEL MARINHO, PHD, NSCA-CPT, MÁRIO MARQUES, PHD,
NUNO BATALHA, PHD, AND PEDRO MOROUÇO, PHD, CSCS

INTRODUCTION

Swimming success depends on several factors. The ability to apply in-water force is crucial, particularly in short distances (13,15). Among others methodologies, dry-land strength and conditioning training is a common practice in competitive swimming. There are two main goals in strength and conditioning training: to improve swimming performance and to prevent injuries (2,4,5,8,9,14,16,17). Although training is often recommended to improve strength and power outputs, the swimming community has yet to reach a consensus regarding specific benefits on swim performance. Still, no negative effects on swimming performance were reported in the available literature, to date.

Lack of specificity of strength and conditioning training is one of the main reasons thought to impair results in some of the conducted investigations. Several exercises have been used to mimic in-water movement; the bench press being one of the most commonly applied. Yet, results are not convincing, because in-water movement has particular characteristics that are impossible to replicate in dry-land training, such as water tension and drag (3). For instance, neuromuscular demands are far from similar in both conditions. The more a swimmer mimics an in-water movement in a dry-land condition with resistance, the more the swimmer could be potentially disrupting motor patterns acquired in-water. Thus, in order to promote transferability of dry-land strength gains to swimming performance, it is suggested to concurrently implement technical swimming training (2). Strength and conditioning coaches should focus on strengthening

muscles involved in swimming with the intent of increasing force production and to prevent muscular imbalances, according to each swimmer's needs (4).

The ability to produce a high rate of force development is crucial in short distances and decreases as the distance increases. Training with heavy loads (maximal strength) requires low execution velocity and likely is not related with swimming demands, particularly in short-distances bouts. Thus, dry-land training should be performed with a velocity similar to in-water movements, trying to fulfil similar neuromuscular demands. When adding strength and conditioning training for short-distance swimming, explosiveness should be the main goal. Therefore, it is expected that movement velocity increases specificity of strength and conditioning exercises and overall power output (10).

Previous investigations have focused on older and high-level swimmers. Very few studies have been published regarding prepubertal (before puberty) and peripubertal (during puberty) swimmers. This could be due to ethical issues or unclear information available to coaches, making them skeptical toward strength and conditioning training swimmers in those age groups (3). Nevertheless, dry-land and in-water power outputs and strength have a determinant influence in youth swimming performance (12,13). It is recommended that youth athletes engage in resistance training, not only to enhance health, fitness, and performance, but also to prevent sports-related injuries (6,12). Therefore, it seems reasonable that strength and conditioning

can aid performance of prepubertal and peripubertal swimmers. The objective of this article is to provide strength and conditioning coaches with practical training recommendations to improve performance through the addition of a strength and conditioning program to prepubertal and peripubertal swimmers.

TRAINING RECOMMENDATIONS

There are several aspects of strength and conditioning training: type, frequency, intensity, volume, recovery, and progression. The following training recommendations are intended to follow the National Strength and Conditioning Association (NSCA) guidelines, as well as the relevant literature on strength and conditioning training with youth athletes (6,11). Therefore, strength and conditioning training based on power is presented. The strength and conditioning program is designed for six weeks with two sessions per week. After the six weeks of strength and conditioning training, swimmers are allowed a four-week adaptation period. The goal is to allow the transferability of new strength levels acquired in the strength and conditioning training to in-water actions. In this period, swimmers engage in their normal swimming training prescription and cease strength and conditioning training. Prior to the implementation of the strength and conditioning program, a pre-test is recommended to assess each subject's tolerance to the prescribed loads, always maintaining the goal of power-based training.

In each session, a warm-up of about 10 min should be performed. The goal of the warm-up is to elevate body temperature and enhance motor unit excitability. Rope skipping and similar mobilization to strength and conditioning exercises are

recommended. Based on previous observations, swimmers should follow a sets/time scheme instead of sets/repetitions for the strength and conditioning program, as seen in Table 1 (1). The goal is to perform the repetitions as rapidly as possible, maintaining high-quality movements. The time spent in each set should approach the time spent in short-distance swimming. Through controlling fatigue, participants should perform a similar number of actions as in swimming competitions, in order to be sport-specific. Rest periods between sets should be calculated by the multiplication of the execution time by four (1,11).

The strength and conditioning training presented consists of five exercises: medicine ball throw down, countermovement box jump, dumbbell fly, Russian twist, and triceps push-ups. The main goal is to workout muscles involved in swimming, especially in front-crawl stroke. It is intended to use bodyweight and materials with easy transportability, aiming to reduce time transporting training equipment. It is recommended that swimmers engage in familiarization sessions to enhance exercise technique before program implementation.

MEDICINE BALL THROW DOWN (FIGURE 1)

Execution: The swimmer starts in an upright position with the medicine ball (1 kg) above their head and the upper limbs fully extended. Then throw the medicine ball to the ground as fast as possible.

Muscle Involvement: pectoralis major, pectoralis minor, anterior deltoid, medial deltoid, serratus anterior, latissimus dorsi, posterior deltoid, teres major, teres minor, and infraspinatus.



FIGURE 1. MEDICINE BALL THROW DOWN (WITH PRIMARY MUSCLES RECRUITED IN RED)

DRY-LAND STRENGTH AND CONDITIONING FOR PREPUBERTAL AND PERIPUBERTAL SWIMMERS

COUNTERMOVEMENT BOX JUMP (FIGURE 2)

Execution: The swimmer starts in an upright position, squats down until the knees are bent at 90 degrees, then immediately jumps vertically as high and fast as possible, landing on the box (30 cm) on both feet at the same time.

Muscle Involvement: rectus femoralis, vastus lateralis, vastus medialis, gluteus medius, gluteus maximus, biceps femoris, semitendinosus, semimembranosus, and gastrocnemius.

DUMBBELL FLY (FIGURE 3)

Execution: The swimmer should lay on the ground and start with the upper limbs in a vertical position holding dumbbells. Then the dumbbells (1.5 kg) should be moved outward and downward, utilizing the minimum distance needed to reach to the ground without contacting it.

Muscle Involvement: pectoralis major, pectoralis minor, anterior deltoid, medial deltoid, trapezius, teres major, teres minor, infraspinatus, rhomboids, posterior deltoid, and triceps brachii.



FIGURE 2. COUNTERMOVEMENT BOX JUMP (WITH PRIMARY MUSCLES RECRUITED IN RED)



FIGURE 3. DUMBBELL FLY (WITH PRIMARY MUSCLES RECRUITED IN RED)

RUSSIAN TWIST (FIGURE 4)

Execution: The swimmer starts in a seated position on the floor with the hands grasping a medicine ball (3 kg) in the front of the chest with the feet off the ground. The ball should be displaced from the one hip to the other in a controlled motion.

Muscle Involvement: rectus abdominis, external oblique, internal oblique, and external oblique.

PUSH-UP (FIGURE 5)

Execution: The swimmer starts with the upper limbs fully extended close to the upper body and in adduction. The swimmer should lower their body until the chest almost touches the floor and return to the initial position by extending the upper limbs. The body must remain in a plank position with the upper limbs close to the upper body during the entire exercise.

Muscle Involvement: pectoralis major, pectoralis minor, anterior deltoid, medial deltoid, posterior deltoid, and triceps brachii.



FIGURE 4. RUSSIAN TWIST (WITH PRIMARY MUSCLES RECRUITED IN RED)



FIGURE 5. PUSH-UP (WITH PRIMARY MUSCLES RECRUITED IN RED)

DRY-LAND STRENGTH AND CONDITIONING FOR PREPUBERTAL AND PERIPUBERTAL SWIMMERS

TABLE 1. SAMPLE SIX-WEEK DRY-LAND STRENGTH AND CONDITIONING TRAINING PROGRAM

EXERCISE	WEEKS 1 AND 2 (RECOVERY TIME)	WEEKS 3 AND 4 (RECOVERY TIME)	WEEKS 5 AND 6 (RECOVERY TIME)
Medicine ball throw down (1 kg)	3 x 15 s (60 s)	3 x 20 s (80 s)	3 x 25 s (100 s)
Countermovement box jump (30 cm)	3 x 15 s (60 s)	3 x 20 s (80 s)	3 x 25 s (100 s)
Dumbbell fly (1.5 kg)	3 x 10 s (60 s)	3 x 15 s (80 s)	3 x 20 s (100 s)
Russian twist (3 kg)	3 x 15 s (60 s)	3 x 20 s (80 s)	3 x 25 s (100 s)
Push-up (bw)	3 x 10 s (60 s)	3 x 15 s (80 s)	3 x 20 s (100 s)

CONCLUSION

The current strength and conditioning program for prepubertal and peripubertal swimmers provides an evidence-based strength and conditioning prescription for youth swimmers that is affordable, portable, and uses minimal equipment. It is imperative that strength and conditioning coaches control swimmers' execution and fatigue in each strength and conditioning session. Additionally, strength and conditioning coaches should apply strength and conditioning programs adjusted to each swimmer's ability to avoid overreaching and prevent injuries. Finally, it is important that strength and conditioning coaches allow swimmers to have a period to adapt to new strength levels acquired in the strength and conditioning program.

REFERENCES

- Amaro, NM, Marinho, DA, Marques, MC, Batalha, NP, and Morouço, PG. Effects of dry-land strength and conditioning programs in age group swimmers. Published ahead of print. *The Journal of Strength and Conditioning Research*, 2016.
- Aspenes, S, Kjendlie, PL, Hoff, J, and Helgerud, J. Combined strength and endurance training in competitive swimmers. *Journal of Sport Science and Medicine* 8: 357-365, 2009.
- Barbosa, TM, Costa, M, Marinho, DA, Coelho, J, Moreira, M, and Silva, AJ. Modeling the links between young swimmers' performance: Energetic and biomechanical profiles. *Pediatric Exercise Science* 22(3): 379-391, 2010.
- Batalha, N, Raimundo, A, Tomas-Carus, P, Barbosa, TM, and Silva, AJ. Shoulder rotator cuff balance, strength, and endurance in young swimmers during a competitive season. *The Journal of Strength and Conditioning Research* 27(9): 2562-2568, 2013.
- Bishop, D, Smith, R, Smith, M, and Rigby, H. Effect of plyometric training on swimming block start performance in adolescents. *The Journal of Strength and Conditioning Research* 23(7): 2137-2143, 2009.
- Faigenbaum, AD, Lloyd, RS, MacDonald, J, and Myer, GD. Citius, altius, fortius: Beneficial effects of resistance training for young athletes. *British Journal of Sports Medicine* 50: 1-7, 2015.
- Garrido, N, Marinho, DA, Reis, VM, Van Den Tillaar, R, Costa, AM, Silva, AJ, and Marques, MC. Does combined dry land strength and aerobic training inhibit performance of young competitive swimmers? *Journal of Sport Science and Medicine* 9: 300-310, 2010.
- Girold, S, Maurin, D, Dugue, B, Chatard, JC, and Millet, G. Effects of dry-land vs. resisted- and assisted-sprint exercises on swimming sprint performances. *The Journal of Strength and Conditioning Research* 21(2): 599-605, 2007.
- Girold, S, Jalab, C, Bernard, O, Carette, P, Kemoun, G, and Dugué, B. Dry-land strength training vs. electrical stimulation in sprint swimming performance. *The Journal of Strength and Conditioning Research* 26(2): 497-505, 2012.
- González-Badillo, JJ, and Sánchez-Medina, L. Movement velocity as a measure of loading intensity in resistance training. *International Journal of Sports Medicine* 31(5): 347-352, 2010.
- Haff, G, and Triplett, T. *Essentials of Strength Training and Conditioning*. (4th ed.) Champaign, IL: Human Kinetics; 2016.
- Morais, J, Silva, AJ, Marinho, DA, Marques, MC, Batalha, NM, and Barbosa, TM. Modelling the relationship between biomechanics and performance of young sprinting swimmers. *European Journal of Sport Science* 16(6): 661-668, 2016.
- Morouço, PG, Keskinen, KL, Vilas-Boas, JP, and Fernandes, RJ. Relationship between tethered forces and the four swimming techniques performance. *Journal of Applied Biomechanics* 27(2): 161-169, 2011.
- Potdevin, FJ, Alberty, ME, Chevutschi, A, Pelayo, P, and Sidney, MC. Effects of a 6-week plyometric training program on performances in pubescent swimmers. *The Journal of Strength and Conditioning Research* 25(1): 80-86, 2011.

15. Stager, JM, and Coyle, MA. Energy systems. In: Stager, J, and Tanner, D, (Eds.), *Handbook of Sports Medicine and Science*. (2nd Ed., Swimming.) Massachusetts, MA: Blackwell Science, 1-19, 2005.
16. Trappe, S, and Pearson, D. Effects of weight assisted dry-land strength training on swimming performance. *The Journal of Strength and Conditioning Research* 8(4): 209-213, 1994.
17. Weston, M, Hibbs, A, Thompson, K, and Spears, IR. Isolated core training improves sprint performance in national-level junior swimmers. *International Journal of Sports Physiology and Performance* 10(2): 204-210, 2015.

ABOUT THE AUTHORS

Nuno Amaro is an Assistant Professor at the Human Movement Department of Polytechnics Institute of Leiria in Portugal and a member of the Performance Analysis group of the Research Centre in Sports, Health Sciences, and Human Development. He holds a Master of Science degree in Sports Sciences and he is a swimming coach. He works with the Portuguese Swimming Federation in the Department of Evaluation and Training Control, working with the swimmers and Portuguese coaches. He is also the author of several publications within the scope of sports training.

Daniel Marinho is an Associate Professor at the Sport Sciences Department of the University of Beira Interior in Covilhã, Portugal and the head of the Performance Analysis group of the Research Centre in Sports, Health Sciences, and Human Development. He holds a PhD in Sports Biomechanics and the National Strength and Conditioning Association Certified Personal Trainer® (NSCA-CPT®) certification. He works with the Portuguese Swimming Federation, coordinating the Department of Evaluation and Training Control and working with the swimmers and Portuguese coaches. He is also the author of several publications within the scope of sports training.

Mário Marques holds a PhD in Sport Sciences and is an Associate Professor at the Sport Sciences Department at the University of Beira Interior in Covilhã, Portugal. He works with the Portuguese Swimming Federation, coordinating strength and conditioning programs with several of the swimmers and Portuguese coaches. He is also the author of several publications within the scope of sports training.

Nuno Batalha holds a PhD in Sports Sciences and is an Associate Professor at the Sport and Health Department of the University of Évora in Évora, Portugal. He is also the head of the sports sciences course and an integrated member of the Performance Analysis group of the Research Centre in Sports, Health Sciences, and Human Development. He is currently the Vice President of the Portuguese Swimming Federation and he is also the author of several scientific publications within the scope of sports science.

Pedro Morouço holds a PhD in Sport Sciences and is a Certified Strength and Conditioning Specialist® (CSCS®) through the National Strength and Conditioning Association (NSCA). He is a Research Fellow and Head of the CDRsp BioFabrication Research Group. He is also a Member of the Editorial Board in several international peer-review journals and has been distinguished with the 2014 New Investigator Award from the International Society of Biomechanics in Sports. He is also the Chairman of the CDRsp Advanced Courses on Regenerative Medicine; engaged in several national and international projects focusing on biomechanics, Direct Digital Manufacturing (DDM), and sports and health for all; and the author of several scientific publications within the scope of sports science.

